



## Benefits:

- For cameras up to 90 x 150mm cross
- Robust construction
- High IP protection class
- Flexible camera positioning
- High chemical resistance
- Vibration-proof mounting
- Camera mount included
- Excellent heat dissipation
- Integration of ring lights possible
- Dome window option



## Technical Details:

|                                                              |                                          |
|--------------------------------------------------------------|------------------------------------------|
| <b>Max. Camera Size (w x h)</b>                              | 90 x 150mm                               |
| <b>Max. Lens Diameter</b>                                    | 90mm (in profile)<br>78mm (in front lid) |
| <b>Inner Length</b>                                          | 259mm (Size L)                           |
| <b>Enclosure Dimensions (w x h x l, without cable gland)</b> | 173 x 113 x 277mm (L)                    |

|                                    |                                      |
|------------------------------------|--------------------------------------|
| <b>Window Aperture</b>             | 45mm (2" window)<br>65mm (3" window) |
| <b>Standard Window</b>             | BK7, double sided ARC                |
| <b>2" IR Mirror</b>                | Order No.: 20.000.010*               |
| <b>2" Sapphire</b>                 | Order No.: 20.000.016*               |
| <b>2" Germanium</b>                | Order No.: 20.000.017*               |
| <b>3" Germanium</b>                | Order No.: 20.000.018*               |
| <b>2" Acrylic, uncoated</b>        | Order No.: 20.000.058*               |
| <b>2" Acrylic, double sided AR</b> | Order No.: 20.000.029*               |
| <b>3" Acrylic, double sided AR</b> | Order No.: 20.000.033*               |
| <b>Window Seal</b>                 | EPDM                                 |

|                         |      |
|-------------------------|------|
| <b>Protection Class</b> | IP65 |
|-------------------------|------|

|                                     |                        |
|-------------------------------------|------------------------|
| <b>Weight (without cable gland)</b> | Approx. 2650g (Size L) |
| <b>Enclosure Material</b>           | Powder Coated Aluminum |
| <b>Enclosure Seals</b>              | NBR                    |

|                                                   |                                            |
|---------------------------------------------------|--------------------------------------------|
| <b>Cable Gland Aperture (max. connector size)</b> | 22mm (Rear Wall A)<br>26.5mm (Rear Wall C) |
| <b>Cable Diameter</b>                             | Self drilling (Rear Wall C)                |
| <b>Cable Gland Seal</b>                           | TPE                                        |



The mount provides good heat dissipation

\*Please ask for the product number of the spare part



2" Lid

3" Lid

Dome Lid

Profile M

Profile L

Profile XL

RearWall A

RearWall C

RearWall D

Order Numbers (please specify the camera type for each order!):

| Enclosure Size | Rear Wall | Order Number |
|----------------|-----------|--------------|
| L, 3" Window   | A         | 2X.X65.250   |
|                | C         | 2X.X66.250   |

| Enclosure Size                             | Rear Wall | Order Number |
|--------------------------------------------|-----------|--------------|
| L, 3" Germanium Window, for e.g. Flir A600 | C         | 2X.X68.250   |


### Accessories:

\*Please ask for the product number of the spare part


| Product              | Image | Order No.             | Product              | Image | Order No.             | Product             | Image | Order No.               |
|----------------------|-------|-----------------------|----------------------|-------|-----------------------|---------------------|-------|-------------------------|
| 2" Wind Curtain      |       | 50.100.010            | Cooling Module       |       | 60.100.020            | Mounting Kit 7      |       | 5.070.000               |
| Tube Wind Curtain 2" |       | 50.100.017            | Corrugated Tube 28mm |       | 20.000.006            | Mounting Kit 9      |       | 5.090.000               |
| 3" Wind Curtain      |       | 50.100.011            | Mounting Kit 1       |       | 5.010.000             | Mounting Kit 10     |       | 5.100.000               |
| Dome Window          |       | 20.040.015 surcharge* | Mounting Kit 2       |       | 5.020.000             | Mounting Kit 15     |       | 5.150.000               |
| 30mm Extension       |       | 15.030.030            | Mounting Kit 6       |       | 5.060.000             | Mounting Kit 16/16m |       | 5.160.000<br>5.160.000m |
| 60mm Extension       |       | 15.030.085            | M72 Front Lid        |       | 20.040.018 surcharge* | Mounting Kit 17/17m |       | 5.170.000<br>5.170.000m |
|                      |       |                       |                      |       |                       | Mounting Tool       |       | 90.000.004              |





3" Front Lid




Profile



Rear Wall A



Rear Wall C



Rear Wall D

